

**AMENDMENTS TO THE CLAIMS:**

*This listing of claims will replace all prior versions, and listings, of claims in the application:*

1. (Currently amended) A coated article having blue glass side reflective color, the coated article comprising:

- a glass substrate;
- a layer comprising tin oxide provided on and contacting a surface of the glass substrate;
- a layer comprising silicon nitride provided on and contacting the layer comprising tin oxide;
- an infrared (IR) reflecting layer located on the substrate over the layer comprising tin oxide and over the layer comprising silicon nitride, wherein the IR reflecting layer comprises one or more of NiCr, Cr, Nb, and NbZr, and wherein the coated article has no infrared (IR) reflecting layer comprising significant amounts of Ag or Au; [[and]]
- a dielectric layer provided on the substrate over at least the IR reflecting layer; and
- wherein a combined thickness of the layer comprising tin oxide and the layer comprising silicon nitride is from 700 to 900 Å wherein the coated article has blue glass side reflective color.

2. (Currently amended) The coated article of claim 1, wherein a combined thickness of the layer comprising tin oxide and the layer comprising silicon nitride is from 750-850 Å. ~~700 to 900 Å and wherein the coated article has blue glass side reflective color.~~

3. (Original) The coated article of claim 1, wherein the dielectric layer located over at least the IR reflecting layer comprises silicon nitride.

4. (Original) The coated article of claim 1, wherein the coated article is heat treated.
5. (Original) The coated article of claim 1, wherein the IR reflecting layer is in direct contact with the layer comprising silicon nitride.
6. (Original) The coated article of claim 1, wherein the coated article is one of a monolithic window unit, an insulating glass (IG) window unit, and a laminated vehicle windshield.
7. (Original) The coated article of claim 1, wherein the layer comprising tin oxide further comprises nitrogen.
8. (Original) The coated article of claim 1, wherein the layer comprising silicon nitride further comprises from 1 to 12 % aluminum.
9. (Original) The coated article of claim 1, wherein the coated article has a visible transmission from about 6 to 80%.
10. (Original) The coated article of claim 1, wherein the coated article has a visible transmission of from about 10-50%.

11. (Original) The coated article of claim 1, wherein the coated article has a sheet resistance ( $R_s$ ) of less than 250 ohms/square.

12. (Original) The coated article of claim 1, wherein the coated article has a sheet resistance ( $R_s$ ) of less than 100 ohms/square.

13. (Original) The coated article of claim 1, wherein the coated article includes a multi-layer coating consisting essentially of the layer comprising tin oxide, the layer comprising silicon nitride, the IR reflecting layer, and the dielectric layer.

14. (Canceled)

15. (Currently amended) A heat treated coated article having blue glass side reflective color, the coated article comprising:

a glass substrate;

a layer comprising tin oxide supported by the glass substrate and being located beneath any and all IR reflecting layer(s) of the coated article;

a layer comprising silicon nitride provided on and contacting the layer comprising tin oxide;

an infrared (IR) reflecting layer located over the layer comprising tin oxide and over the layer comprising silicon nitride, wherein the IR reflecting layer comprises one or more of NiCr, Cr, Nb, and NbZr, and wherein the coated article has no infrared (IR) reflecting layer comprising significant amounts of Ag or Au; [[and]]

a dielectric layer provided on the substrate over at least the IR reflecting layer; and  
wherein a combined thickness of the layer comprising tin oxide and the layer comprising  
silicon nitride is from 700 to 900 Å wherein the coated article has blue glass side reflective color.

16. (Canceled)

17. (Original) The coated article of claim 15, wherein the dielectric layer located over at least the IR reflecting layer comprises silicon nitride.

18. (Original) The coated article of claim 15, wherein the IR reflecting layer is in direct contact with the layer comprising silicon nitride.

19. (Original) The coated article of claim 15, wherein the layer comprising tin oxide further comprises nitrogen.

20. (Currently amended) The coated article of claim 15, wherein the coated article has a sheet resistance ( $R_s$ ) of less than 250 ohms/square, ~~and wherein a combined thickness of the layer comprising tin oxide and the layer comprising silicon nitride is from 700 to 900 Å.~~

21-24. (Canceled)

25. (New) A coated article having green glass side reflective color, the coated article comprising:

- a glass substrate;
- a layer comprising tin oxide provided on and contacting a surface of the glass substrate;
- a layer comprising silicon nitride provided on and contacting the layer comprising tin oxide;
- an infrared (IR) reflecting layer located on the substrate over the layer comprising tin oxide and over the layer comprising silicon nitride, wherein the IR reflecting layer comprises one or more of NiCr, Cr, Nb, and NbZr, and wherein the coated article has no infrared (IR) reflecting layer comprising significant amounts of Ag or Au;
- a dielectric layer provided on the substrate over at least the IR reflecting layer; and
- wherein a combined thickness of the layer comprising tin oxide and the layer comprising silicon nitride is from 1,000 to 1,400 Å wherein the coated article has green glass side reflective color.

26. (New) The coated article of claim 25, wherein a combined thickness of the layer comprising tin oxide and the layer comprising silicon nitride is from 1,000 to 1,300 Å.